

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization International Bureau



(43) International Publication Date
16 June 2005 (16.06.2005)

PCT

(10) International Publication Number
WO 2005/055149 A1

(51) International Patent Classification⁷: G06T 15/50, 15/20 (74) Agents: TURNER, James, Arthur et al.; D. Young & Co., 120 Holborn, London EC1N 2DY (GB).

(21) International Application Number: PCT/GB2004/004632 (81) Designated States (*unless otherwise indicated, for every kind of national protection available*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(22) International Filing Date: 2 November 2004 (02.11.2004) (84) Designated States (*unless otherwise indicated, for every kind of regional protection available*): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).


(25) Filing Language: English (26) Publication Language: English

(30) Priority Data: 0327622.7 27 November 2003 (27.11.2003) GB

(71) Applicant (*for all designated States except US*): SONY COMPUTER ENTERTAINMENT EUROPE LIMITED [GB/GB]; 30 Golden Square, London W1F 9LD (GB).

(72) Inventor; and (75) Inventor/Applicant (*for US only*): COLLOMB, Cedrick, Stanislas [FR/GB]; Sony Computer Entertainment Development, Napier Court, Stephenson Way, Wavertree Technology Park, Liverpool L13 1HD (GB).

(54) Title: IMAGE RENDERING



(57) Abstract: A method of forming a two dimensional map of a three dimensional environment, there being a map origin located in the three dimensional environment, a viewing direction vector defined passing through the map origin, and a one-to-one correspondence between map positions in the map and the directions of vectors passing through the map origin; comprises the steps of: associating an environment position in the three dimensional environment with a folded vector that passes through the map origin, the folded vector lying in a plane containing both the viewing direction vector and the environment position and forming an angle with the viewing direction vector that is a predetermined function of the angle between the viewing direction vector and a vector between the map origin and the environment position; associating an environment position with the map position corresponding to the direction of the folded vector associated with that environment position; and deriving properties for a map position from the properties of the corresponding environment position.

WO 2005/055149 A1